Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



UNITED STATES DEPARTMENT OF AGRICULTURE Bureau of Agricultural Economics

TENTATIVE U. S. STAND.RDS FOR GRADES FOR LIVE POULTRY (Revised April 1, 1937)


U. S. GRADE A: Vigorous birds, well-fleshed, plump and full-feathered, with bright red comb and soft glossy skin. Must be soft-meated for birds of that class, and free from tears, bruises and deformities. Excess abdominal fat and broken bones not permitted. Must be free from external evidence of disease. A tolerance of 24% of the birds in the lot is permitted for birds of U. S. Grade B and 1% for birds of U. S. Grade C.

U. S. GRADE B: Fairly well-fleshed birds, fairly well-feathered, free from tears, bruises or deformities. Broken bones not permitted. Must be free from external evidence of disease. A tolerance of 25% of the birds in the lot is permitted for birds of U. S. Grade C.

U. S. GRADE C: May be poorly feathered birds, poorly fleshed, but not emaciated. Carcass may show few scratches, tears, or bruises. Deformed birds permitted if fairly well-fleshed. Not more than one broken bone permitted. Must be free from highly infectious diseases. No tolerance is permitted for birds that are below that of U. S. Grade C.

All cull birds must be graded as "Rejects". "Rejects" include all birds that show evidence of a sick condition, severe injury, extreme emaciation or other conditions that render them unfit for food. Birds afflicted with the following diseases are classed as "Rejects": 1. Roup (catarrhal and diptheretic) 2. Infectious Bronchitis 3. Fowl Chelera 4. Fowl Typhoid 5. Limberneck 6. Tuberculesis 7. Crop Bound 8. Cripples and weak birds

9. Water belly (Ascites)



UNITED STATES DEPARTMENT OF AGRICULTURE BUREAU OF AGRICULTURAL ECONOMICS TENTATIVE U. S. CLASSES FOR LIVE POULTRY

CLASSES	: BREED SUBCLASSES :	WEIGHT CLASSES	: DESCRIPTION
Chickens		Small - Under $2\frac{1}{2}$ lbs.	: :Young, soft meated :chickens of either sex, :with flexible breast :bones.
Stags	All breeds	All Weights	:Young male chickens :which have begun to get :hard meated and coarse :and showing well devel- :oped comb and spurs. :Breast bones becoming :rigid.
Capons	: : All breeds :	: Large - Over 5 lbs. :	:Unsexed male birds show- :ing practically no comb :or spur development and :with profuse tail, sad- :dle and hackle plumage
Fowl	: Heavy Breeds : Light Breeds	: Small - Under 4 lbs. : Medium - 4 - 5 lbs. : Large - Over 5 lbs.	Mature female chickens with hardened breast bone
Cocks	: All breeds	: All Weights	:Mature male chickens with hardened breast bone.
	:	: Large-Over 9 lbs	Immature female turkeys with flexible breast bone.
Turkeys	: All Breeds : :	: Old Hens- under : Large-Over 11 1b	
		: Small-12 los. and :Young Toms- under : Large-Over 12 lb	:Immature male turkeys :with flexible breast s:bone.
	: : : : : : : : : : : : : : : : : : : :		d:Mature male turkeys with :hardened breast bone.
Ducks	: : Muscovy	: Young - under : Large-Over 4 lbs	
	: All Other Breeds :	: Small-4 lbs. and : Old - under : Large-Over 4 lbs	:Mature ducks of either :sex with rigid wind- ::pipe.
Geese	: Chinese or Swan : All other Breeds	: Small-9 lbs. and under : Large-Over 9 lbs.	Young or old of either sex.
Guineas	: All Breeds :	: : Young - All weights :	:Immature guinous of :either sex with flex- :ible breast bone.
		: Old - All weights	:Mature guineas of either :sex with rigid breast :bone
Squabs	All Breeds	: All Weights	:Young immature soft meat- :ed pigeons of either sex.
Pigeons	All Breeds	: All Weights	:Mature hard meated :pigeons of either sex.

